

SEPTEMBER 2021

Managing noise and vibration

Melbourne Airport Rail is a transformational public transport project connecting Melbourne to Victoria's regional and metropolitan network with trains to run from Melbourne Airport through Sunshine Station and the Metro Tunnel


Rail Projects Victoria (RPV) is overseeing the delivery of Melbourne Airport Rail and has a team of design, engineering and construction experts working on the development and delivery of the project.

A range of investigations and assessments are undertaken as part of project planning to develop ways of managing and mitigating potential impacts. Every effort will be made to reduce impacts as much as possible.

This fact sheet outlines what we will do to manage the potential impacts of noise and vibration during construction and when Melbourne Airport Rail is up and running.



Noise and vibration monitoring equipment



Noise and vibration monitoring equipment



Australian Government







Noise and vibration

Noise and vibration may impact the community during:

- Construction Temporary noise and/or vibration during construction of the project
- Operations Noise and/or vibration from Melbourne Airport Rail trains once the project is complete

Assessing noise and vibration

We know construction can be noisy at times and we will use a range of measures to reduce the impact of our work when we are close to communities.

Noise and vibration assessments have been carried out in the local area to understand the potential impacts of constructing and operating Melbourne Airport Rail.

The assessments involved identifying areas which may experience increased noise or vibration due to our work, assessing the significance of potential impacts and determining how to manage them.

Managing noise and vibration impacts

We will work with the appointed construction contractors to monitor and manage noise and vibration.

A range of measures will be used to manage the impact of our work including:

- providing advanced notification of upcoming noisy work
- working within standard construction hours (7am to 6pm weekdays and 7am to 1pm Saturdays), wherever feasible
- using lowest-noise work practices and equipment to meet the requirements of the job
- minimising the extent of major noise-generating work happening at the same time at the same location
- installing hoardings and temporary noise barriers, where required
- turning off machinery and equipment when not in use.

Construction work will be carried out in line with all relevant statutory approvals, including the project's Environmental Management Framework, as well as Environment Protection Authority (EPA) Victoria guidelines.

Noise during construction

If you live near where we will be working, then you may hear construction noise at times. This could be when we are working in the rail corridor, building the new rail line, or delivering materials to the construction site.

How sound is perceived is personal and can depend on the environment. Because of this, noise may affect some people more than others. For example, a neighbour mowing the lawn in the middle of the night may seem louder than if they were mowing during the day.

How we measure noise

We measure noise in decibels. A change of one to two decibels is not usually noticeable while a change of 5 decibels is likely to be clearly noticeable and an increase of 10 decibels is subjectively twice as loud. For example, if a lawnmower is about 90 decibels and a motorcycle is about 100 decibels, then a motorcycle will sound almost twice as loud as a lawnmower.

140dB	(P)
130dB	Threshold of pain
120dB	
110dB	Emergency vehicle siren
100dB	
90dB	Lawn mower
80dB	
70dB	Vacuum
60dB	e Conversation
50dB	
40dB	Moderate rainfall
30dB	Fr
20dB	Rustling leaves
10dB	*Where existing
OdB	traffic noise is less than 30dB background will be assumed to be 30dB.

Noise from construction traffic

Our work will temporarily require trucks and other construction vehicles to access sites via local roads and travel within the rail corridor behind residential and commercial buildings. We will work with the appointed construction contractors to designate traffic routes including entry and exit points that minimise impacts and where possible, we will limit construction vehicles to standard construction hours.

Noise near construction sites

Work at these sites will be carried out in stages and some activities will be louder than others. For example, earthworks tend to be louder than finishing work like rail signalling or installing lights. A range of measures will be used to minimise noise and all site activities noise will be managed in accordance with relevant statutory approvals, including the Environment Management Framework.

Vibration during construction

People are sensitive to vibration and can feel vibration at very low levels, typically at levels much lower than will cause damage to property. Vibration may be experienced in other ways, such as causing windows to rattle.

Vibration near properties

While ground vibrations may be experienced, construction activities will be planned to avoid damage to property. However, we understand there may be concern about the potential for vibration to cause damage to property.

For peace of mind, property owners near our works will be offered a free property condition survey which will provide a record of your property's condition before our work starts.

Further information regarding property condition surveys will be shared with the community before Melbourne Airport Rail begins construction.



Noise and vibration when Melbourne Airport Rail is operational

Some members of the community living near Melbourne Airport Rail may notice noise from rail services running to and from Melbourne Airport.

Noise and vibration will be assessed in accordance with the Victorian Government's Passenger Rail Infrastructure Noise Policy, and required to comply with the Environmental Management Framework and any other relevant statutory approvals.

Noise Walls

New, high-quality permanent noise walls are proposed in some areas along the rail corridor.

We will engage with local residents and share further information about the exact location, height, and look and feel of the proposed noise walls as the project designs progress.

About Melbourne Airport Rail

Melbourne Airport Rail will connect people from the airport to where they need to go be that work, home or Victoria's key tourism destinations.

Airport trains will run from a new station at Melbourne Airport every 10 minutes, through the Metro Tunnel to Melbourne's CBD in around 30 minutes.

Construction will begin in 2022 with a target opening date of 2029, subject to approvals. The project will support up to 8,000 jobs during construction.





Have your say

As part of the planning for Melbourne Airport Rail, RPV will seek a range of Victorian and Federal planning, environmental and other government approvals. Your feedback will be considered as part of these approvals, as well as inform the design work and construction planning for Melbourne Airport Rail.

You can have your say by visiting our website airportrail.vic.gov.au to complete the online survey.

You can also visit our virtual information session to learn more about the project.

Stay up to date about future opportunities to get involved by signing up to the Melbourne Airport Rail e-newsletter on the 'Contact Us' page of the website.

More information

w airportrail.vic.gov.au

C 1800 105 105 (24 hours a day, 7 days a week)

Rail Projects Victoria PO Box 2392, Melbourne, VIC 3001



It should be noted that this information is current at the time of printing, however due to unforeseen circumstances, changes may occur. Please visit **railprojects.vic.gov.au** for the latest updates.